

Intel (1U/2U) Server

Whitley

180W~270W



Whitley 1U Series



Whitley 1.5U Series




Whitley 2U Series



Whitley 1U EVAC Series

Eagle Stream

180W~350W



Eagle Stream 1U EVAC Series

Birch Stream

180W~500W



Birch Stream AP 2U EVAC Series

INTEL SERVER

AMD SERVER

SP3

225W~270W



SP3 2U Server



SP3 1U Server



SP5 2U EVAC Server



SP5 2U Server



SP5 1U Server

260W~400W

SP5

AMD (1U/2U) Server


THERMAL
SOLUTION

www.adda.com.tw



Thermal Module


INTEL Server for CPU



Description	Intel Whitley 1U	Intel Whitley 1.5U	Intel Whitley 2U	Intel Whitley 1U EVAC	Intel Eagle Stream 1U EVAC	Intel Birch Stream AP 2U EVAC
TDP (W)	205 W	250 W	250 W	270 W	350 W	500 W
Dimension (mm)	113x78x24	131x78x39.92	113x78x64	113x78x24.5	170.8x188.7x24.7	176.9x209.8x64
Base Structure	<ul style="list-style-type: none"> ■ Heat Pipe +Cu base ■ Vapor Chamber 	Heat Pipe +Cu base	Heat Pipe +Cu base	Heat Pipe +Cu base	Heat Pipe +Cu base	Heat Pipe +Cu base +Vapor Chamber
Fin Material	Aluminum	Aluminum Copper	Aluminum	Aluminum	Aluminum	Aluminum

Thermal Module

AMD Server for CPU



Description

AMD SP3 1U

AMD SP3 2U

AMD SP5 1U

AMD SP5 2U

AMD SP5 2U EVAC

TDP
(W)

225 W

280 W

300 W

340 W

350 W

Dimension
(mm)

119.3x78.9x25

119.3x78.9x64

118x92.4x25

118x92.4x25

176.8x189x64

Base Structure

Vapor Chamber

Heat Pipe
+Cu Base

Heat Pipe
+AL frame

Heat Pipe
+AL frame

Heat Pipe
+AL frame

Fin Material

Aluminum

Aluminum

Aluminum

Aluminum

Aluminum